

L Number	Hits	Search Text	DB	Time stamp
1	288	(track\$ and rout\$).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:39
2	366	(ship\$ and track\$).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:40
3	651	((track\$ and rout\$).ti.) or ((ship\$ and track\$).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:46
4	2	((track\$ and rout\$).ti.) or ((ship\$ and track\$).ti.)) and (intermediate with destinations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:41
6	9	((track\$ and rout\$).ti.) or ((ship\$ and track\$).ti.)) and destinations and companies	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:41
5	6	((track\$ and rout\$).ti.) or ((ship\$ and track\$).ti.)) and (shipping with companies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:44
7	4	((track\$ and rout\$).ti.) or ((ship\$ and track\$).ti.)) and ((less or inexpensive) with rout\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:48
8	15	"intermediate destinations" and ((conveyance or shipping or transportation) with (goods or item\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 15:50
9	6	((("intermediate destinations" and ((conveyance or shipping or transportation) with (goods or item\$))) and (ship\$ or transport\$)) and rout\$) and carrier) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:02
10	169	(inexpensive with routing) or (less adj cost adj routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:20
11	0	((inexpensive with routing) or (less adj cost adj routing)) and (shipping with companies) and destinations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:03
12	10	((inexpensive with routing) or (less adj cost adj routing)) and companies and destinations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:03
13	1	((inexpensive with routing) or (less adj cost adj routing)) and ship\$3 and track\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:04
14	72	((database and ship\$) and rout\$) and (destination with information)) and ((intermediate with destination\$) or (intermediate with facilit\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/24 16:06

15	21	((database and ship\$) and rout\$) and (destination with information)) and ((intermediate with destination\$) or (intermediate with facilit\$))) and (central with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:07
16	412	("internet commerce" or "e commerce" or "online commerce" or "online shopping") and (supplier\$ or vendor\$ or manufacture\$) and (buyer\$ or customer\$ or recipient\$) and (ship\$ with (good\$ or article\$ or item\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:20
17	0	((("internet commerce" or "e commerce" or "online commerce" or "online shopping") and (supplier\$ or vendor\$ or manufacture\$) and (buyer\$ or customer\$ or recipient\$) and (ship\$ with (good\$ or article\$ or item\$)) ) and ((inexpensive with routing) or (less adj cost adj routing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:21
18	8	((("internet commerce" or "e commerce" or "online commerce" or "online shopping") and (supplier\$ or vendor\$ or manufacture\$) and (buyer\$ or customer\$ or recipient\$) and (ship\$ with (good\$ or article\$ or item\$)) ) and (intermediate with destinations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:23
19	44	((("internet commerce" or "e commerce" or "online commerce" or "online shopping") and (supplier\$ or vendor\$ or manufacture\$) and (buyer\$ or customer\$ or recipient\$) and (ship\$ with (good\$ or article\$ or item\$)) ) and (destinations and ((less or inexpensive) with rout\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:24



> home > about > feedback > login

US Patent & Trademark Office

## Search Results

### Nothing Found

Your search for the **Phrase (less<or> least<or>inexpensive) <near>routings<AND>((shipping <near/2>goods<and>destinations<and>routing) )** did not return any results.

To search for *terms* separate them with **AND** or **OR**.

Click on the suggested options:

(less<or> AND least<or>inexpensive)<near>routings<AND>((shipping AND <near/2>goods<and>destinations<and>routing) AND )

(less OR leastinexpensive)routings((shipping OR goodsdestinationsrouting) OR )

To search for names try using only the last or first name.

You can try to rerun it within the Portal.

You may revise it and try your search again below or click advanced search for more options.

(less<or> least<or>inexpensive) <near>routings<AND>((shipping <near/2>goods<and>destinations <and>routing) )

[\[Advanced Search\]](#) [\[Search Help/Tips\]](#)



Complete Search Help and Tips

### The following characters have specialized meaning:

Special Characters	Description
, ( ) [	These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
` @ \Q < { [ !	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.



&gt; home &gt; about &gt; feedback &gt; login

US Patent &amp; Trademark Office

## Search Results

Search Results for: [(least<or>inexpensive)<near/2>routing<AND>((shipping <and>routing<and> destinations) )]

Found **3** of **107,580** searched. → Rerun within the Portal

### Search within Results



&gt; Advanced Search

&gt; Search Help/Tips

---

Sort by: Title Publication Publication Date Score Binder

---

**Results 1 - 3 of 3 short listing**

---

**1** A genetic algorithm for packing in three dimensions 80%

Arthur L. Corcoran , Roger L. Wainwright

**Proceedings of the 1992 ACM/SIGAPP symposium on Applied computing: technological challenges of the 1990's** March 1992

**2** High-cost CFD on a low-cost cluster 80%

Thomas Hauser , Timothy I. Mattox , Raymond P. LeBeau , Henry G. Dietz , P. George Huang

**Proceedings of the 2000 ACM/IEEE conference on Supercomputing (CDROM)** November 2000

Direct numerical simulation of the Navier-Stokes equations (DNS) is an important technique for the future of computational fluid dynamics (CFD) in engineering applications. However, DNS requires massive computing resources. This paper presents a new approach for implementing high-cost DNS CFD using low-cost cluster hardware. After describing the DNS CFD code DNSTool, the paper focuses on the techniques and tools that we have developed to customize the performance of a cluster ...

**3** The maximum concurrent flow problem 77%

Farhad Shahrokhi , D. W. Matula

**Journal of the ACM (JACM)** April 1990

Volume 37 Issue 2

The maximum concurrent flow problem (MCFP) is a multicommodity flow problem in which every pair of entities can send and receive flow concurrently. The ratio of the flow supplied between a pair of entities to the predefined demand for that pair is called throughput and must be the same for all pairs of entities for a concurrent flow. The MCFP objective is to maximize the throughput, subject to the capacity constraints. We develop a fully polynomial-time approximation scheme ...

## Welcome to IEEE Xplore®

Your search matched [0] of [928684] documents.

- Home
- What Can I Access?
- Log-out

## Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

## Search

- By Author
- Basic
- Advanced

## Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

 Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved